

Message

From: Steketee, John [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8032AB0D79F64C209C7072B8838878BF-JSTEKETE]
Sent: 7/18/2017 8:03:48 PM
To: Crass, David A (22267) [DACrass@michaelbest.com]
Subject: RE: Madison Kipp PCB Remediation Matter -- Update on Status

ok. (312) 886-0558. Thx.

-----Original Message-----

From: Crass, David A (22267) [mailto:DACrass@michaelbest.com]
 Sent: Tuesday, July 18, 2017 3:02 PM
 To: Steketee, John <steketee.john@epa.gov>
 Subject: RE: Madison Kipp PCB Remediation Matter -- Update on Status

How about I call you at 1 p.m. on Thursday? What is the best number?

David A. Crass
 Partner
 Industry Group Chair, Agribusiness, Food & Beverage
 T: 608.283.2267 | michaelbest.com
 Michael Best & Friedrich LLP

-----Original Message-----

From: Steketee, John [mailto:steketee.john@epa.gov]
 Sent: Tuesday, July 18, 2017 12:52 PM
 To: Crass, David A (22267)
 Subject: FW: Madison Kipp PCB Remediation Matter -- Update on Status

Dave:

This message is to let you know that there have been some changes to my Thursday (7/20/17) schedule. I am now available between 12:00noon and 2:30pm. Otherwise, we will need to schedule our call for the 25th, next week. I am available for most of the day on the 25th. Otherwise, this will have to wait until the week of August the 7th, as I will be out of the office the 1st week of August. Thanks.

-John

-----Original Message-----

From: Steketee, John
 Sent: Tuesday, July 18, 2017 9:26 AM
 To: 'Crass, David A (22267)' <DACrass@michaelbest.com>
 Subject: RE: Madison Kipp PCB Remediation Matter -- Update on Status

Dave:

I apologize for the delay in getting back to you, but I was out of the office for a couple of weeks and I have been catching up on my matters this week. Are you available for a brief call, just between the two of us, on Thursday afternoon (after 2pm central)? At this point I'm just trying to gather some information from you about the status of the matter and also I want to advise you of EPA's current position on the matter based upon the information we have received from WDNR to date. This shouldn't take long. Thanks.

Sincerely,

John P. Steketee

John P. Steketee
 Associate Regional Counsel
 Office of Regional Counsel
 U.S. EPA, Region 5
 77 W. Jackson Blvd. (C-14J)
 Chicago, Illinois 60604-3590
 (312) 886-0558
 steketee.john@epa.gov

-----Original Message-----

From: Crass, David A (22267) [mailto:DACrass@michaelbest.com]
 Sent: Tuesday, July 04, 2017 8:14 AM
 To: Steketee, John <steketee.john@epa.gov>

Cc: David P. Ross, Esq. (rossdp@doj.state.wi.us) <rossdp@doj.state.wi.us>; Jessica L. Kramer (jessica.kramer@wisconsin.gov) <jessica.kramer@wisconsin.gov>
Subject: RE: Madison Kipp PCB Remediation Matter -- Update on Status

John: I currently have good availability for a call July 17, 20 and 24-26. Perhaps Mr. Ross and Ms. Kramer should participate as well on behalf of the State.

David A. Crass
Partner
Industry Group Chair, Agribusiness, Food & Beverage
T: 608.283.2267 | michaelbest.com
Michael Best & Friedrich LLP

-----Original Message-----
From: Steketee, John [mailto:steketee.john@epa.gov]
Sent: Friday, June 30, 2017 3:52 PM
To: Crass, David A (22267)
Subject: Madison Kipp PCB Remediation Matter -- Update on Status

Dave:

After participating in a telephone discussion between EPA and WDNR yesterday, I believe you and I should have a discussion re: the status MKC PCB matter in the next few weeks. Please note, I will be out of the office July 3 through 14, 2017. Please let me know your availability to discuss the matter after July 14th. FYI, the information we received from WDNR yesterday has resulted in a recommendation that the matter be elevated to our Regional Administrator. Thank you.

John

Email Disclaimer

The information contained in this communication may be confidential, is intended only for the use of the recipient(s) named above, and may be legally privileged. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please return it to the sender immediately and delete the original message and any copy of it from your computer system. If you have any questions concerning this message, please contact the sender.

=====